OWENS CORNING SCIENCE & TECHNOLOGY CENTER PATENT DEPT., BLDG. 11 2790 COLUMBUS ROAD, ROUTE 16 GRANVILLE, OHIO 43023-1200



# FAX TRANSMITTAL

RECEIVED
CENTRAL FAX CENTER

FEB 1 3 2006

Date:		February 13, 2006		
No. of Pages: 10 (Including			this page)	
To:	Centra	entral Facsimile Number From: Jan Hostasa		
Of:	USPTO		Fax:	(740) 321-8024
Fax:	(571) 273-8300		Phone:	(740) 321-7168
SUBJECT: Amendment				
Serial No.: U.S. Patent Application 09/515,928, filed February 29, 2000				
hereby certify that a Response is being transmitted to the Central Facsimile lumber, at the U.S. Patent and Trademark Office (Fax No. (571) 273-8300) on Sebruary 13, 2006.				
February 13, 2006			Jan Hostasa	
(Date of Deposit)		osit)	(Name of Depositor)	
	Jan Hastasa			
			(Signature)	

This message is intended only for the use of the individual or entity to which it is addressed and may contain information that is privileged, confidential, and exempt from disclosure. If the reader of this message is not the intended recipient or an employee or agent responsible for delivering the message to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this message in error, please notify us immediately and return the original message to us by mail. Thank you.

## Attorney Docket No. 24673A

# RECEIVED CENTRAL FAX CENTER

FEB 1 3 2006

### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

Bert W. Elliott

Group Art Unit: 3635

Serial No.:

09/515,928

Examiner: Robert Canfield

Filed:

February 29, 2000

Attorney Docket No.: 24673A

For:

SHINGLE FOR OPTICALLY SIMULATING A SLATE ROOF

Mail Stop Amendment Commissioner for Patents PO Box 1450 Alexandria, VA 22313-1450

#### **AMENDMENT**

#### Honorable Sir:

Responsive to the office action mailed December 2, 2005, please amend the above-identified application as indicated on the following pages. If any fees are required pertaining to this response, Applicant requests that all necessary fees be charged to Deposit Account No. 50-0568.